

---

## Fleet of autonomous boats could service some cities, reducing road traffic

---

2018/05/28 16:21 στην κατηγορία INTERNATIONAL

---

The future of transportation in waterway-rich cities such as Amsterdam, Bangkok, and Venice -where canals run alongside and under bustling streets and bridges- may include autonomous boats that ferry goods and people, helping clear up road congestion.

Researchers from MIT's Computer Science and Artificial Intelligence Laboratory (CSAIL) and the Senseable City Lab in the Department of Urban Studies and Planning (DUSP), have taken a step toward that future by designing a fleet of autonomous boats that offer high maneuverability and precise control. The boats can also be rapidly 3-D printed using a low-cost printer, making mass manufacturing more feasible.

The boats could be used to taxi people around and to deliver goods, easing street traffic. In the future, the researchers also envision the driverless boats being adapted to perform city services overnight, instead of during busy daylight hours, further reducing congestion on both roads and canals.

"Imagine shifting some of infrastructure services that usually take place during the day on the road -deliveries, garbage management, waste management- to the middle of the night, on the water, using a fleet of autonomous boats," says CSAIL Director Daniela Rus, co-author on a paper describing the technology that's being presented at this week's IEEE International Conference on Robotics and Automation.

Moreover, the boats -rectangular 4-by-2-meter hulls equipped with sensors, microcontrollers, GPS modules, and other hardware- could be programmed to self-assemble into floating bridges, concert stages, platforms for food markets, and other structures in a matter of hours.

"Again, some of the activities that are usually taking place on land, and that cause disturbance in how the city moves, can be done on a temporary basis on the water," says Rus, who is the Andrew and Erna Viterbi Professor of Electrical Engineering and Computer Science.

The boats could also be equipped with environmental sensors to monitor a city's

waters and gain insight into urban and human health.

Co-authors on the paper are: first author Wei Wang, a joint postdoc in CSAIL and the Senseable City Lab; Luis A. Mateos and Shinkyu Park, both DUSP postdocs; Pietro Leoni, a research fellow, and Fábio Duarte, a research scientist, both in DUSP and the Senseable City Lab; Banti Gheneti, a graduate student in the Department of Electrical Engineering and Computer Science; and Carlo Ratti, a principal investigator and professor of the practice in the DUSP and director of the MIT Senseable City Lab.

### **Better design and control**

The work was conducted as part of the “[Roboat](#)” project, a collaboration between the MIT Senseable City Lab and the Amsterdam Institute for Advanced Metropolitan Solutions (AMS). In 2016, as part of the project, the researchers tested a prototype that cruised around the city’s canals, moving forward, backward, and laterally along a preprogrammed path.

The ICRA paper details several important new innovations: a rapid fabrication technique, a more efficient and agile design, and advanced trajectory-tracking algorithms that improve control, precision docking and latching, and other tasks.

To make the boats, the researchers 3-D-printed a rectangular hull with a commercial printer, producing 16 separate sections that were spliced together. Printing took around 60 hours. The completed hull was then sealed by adhering several layers of fiberglass.

Integrated onto the hull are a power supply, Wi-Fi antenna, GPS, and a minicomputer and microcontroller. For precise positioning, the researchers incorporated an indoor ultrasound beacon system and outdoor real-time kinematic GPS modules, which allow for centimeter-level localization, as well as an inertial measurement unit (IMU) module that monitors the boat’s yaw and angular velocity, among other metrics.

The boat is a rectangular shape, instead of the traditional kayak or catamaran shapes, to allow the vessel to move sideways and to attach itself to other boats when assembling other structures. Another simple yet effective design element was thruster placement. Four thrusters are positioned in the center of each side, instead of at the four corners, generating forward and backward forces. This makes the boat more agile and efficient, the researchers say.

The team also developed a method that enables the boat to track its position and orientation more quickly and accurately. To do so, they developed an efficient version of a nonlinear model predictive control (NMPC) algorithm, generally used to control and navigate robots within various constraints.

The NMPC and similar algorithms have been used to control autonomous boats before. But typically those algorithms are tested only in simulation or don't account for the dynamics of the boat. The researchers instead incorporated in the algorithm simplified nonlinear mathematical models that account for a few known parameters, such as drag of the boat, centrifugal and Coriolis forces, and added mass due to accelerating or decelerating in water. The researchers also used an identification algorithm that then identifies any unknown parameters as the boat is trained on a path.

Finally, the researchers used an efficient predictive-control platform to run their algorithm, which can rapidly determine upcoming actions and increases the algorithm's speed by two orders of magnitude over similar systems. While other algorithms execute in about 100 milliseconds, the researchers' algorithm takes less than 1 millisecond.

### Testing the waters

To demonstrate the control algorithm's efficacy, the researchers deployed a smaller prototype of the boat along preplanned paths in a swimming pool and in the Charles River. Over the course of 10 test runs, the researchers observed average tracking errors — in positioning and orientation — smaller than tracking errors of traditional control algorithms.

That accuracy is thanks, in part, to the boat's onboard GPS and IMU modules, which determine position and direction, respectively, down to the centimeter. The NMPC algorithm crunches the data from those modules and weighs various metrics to steer the boat true. The algorithm is implemented in a controller computer and regulates each thruster individually, updating every 0.2 seconds.

"The controller considers the boat dynamics, current state of the boat, thrust constraints, and reference position for the coming several seconds, to optimize how the boat drives on the path," Wang says. "We can then find optimal force for the thrusters that can take the boat back to the path and minimize errors."

The innovations in design and fabrication, as well as faster and more precise control algorithms, point toward feasible driverless boats used for transportation, docking, and self-assembling into platforms, the researchers say.

A next step for the work is developing adaptive controllers to account for changes in mass and drag of the boat when transporting people and goods. The researchers are also refining the controller to account for wave disturbances and stronger currents.

"We actually found that the Charles River has much more current than in the canals in Amsterdam," Wang says. "But there will be a lot of boats moving around, and big

boats will bring big currents, so we still have to consider this.”

The work was supported by a grant from AMS.

***(By Rob Matheson, MIT News Office)***